

DIVUS®

Show it. Control it.



KNX IQ

KNX Stand Alone Panel

2019

EN

KNX IQ

KNX Stand Alone Panel


The cost-effective entry into the world of building visualizationThe KNX IQ manages and controls your electrical installation. KNX IQ is a stand alone panel, through which the entire visualization of the apartment can be viewed and controlled. It is a on-wallmounted device that can be retrofitted and protrudes only slightly out of the wall. DIVUS KNX IQ is an on-wall mounted building touchpanel for visualization purposes. It is available with and without KNX interface. It is an 8 „(20.32 cm) panel with capacitive multi-touch display.

A PANEL WITH MANY FEATURES

The apps DIVUS VISION, DIVUS IQ LAUNCHER, DIVUS VIDEOPHONE, DIVUS KIBRO, DIVUS IP CAM VIEWER and DIVUS SCREENCLEANER are included.



The following mounting boxes are compatible with the 8 „KNX IQ:



Schneider Electric U.Motion box MTN6270-5001
Merten U.Motion box MEG6270-5001



Kaiser round box German standard 1555-04



ABB MT701 devices
GIRA MT701 devices
BERKER MT701 devices
JUNG EBG24 devices
mounting boxes UP-KAST2



Italian Standard box type 503

KNX IQ THE RETROFIT COMPATIBLE PANEL

The KNX IQ touch panel can also be installed in many already installed wallmount boxes and thus takes over your intelligent home control.

The KNX IQ Panel can be installed wherever the mounting box has a larger diameter than 53 mm and is smaller than 215 x 135 mm.

AVAILABLE Q3-2019	DIVUS KNX-IQ08-IP KNX IP-Router / Interface needed	2019 DIVUS KNX-IQ08-TP with integrated KNX-interface
Type of design	DIVUS KNX-IQ08-IP BLACK - on wall mounted building touchpanel for visualization purposes; multitouch display and capacitive touch screen with optical bonding 20,32 cm - 8"; free DIVUS VISION, DIVUS IQ LAUNCHER, DIVUS VIDEO-PHONE, DIVUS KIBRO, DIVUS IP CAM VIEWER and DIVUS SCREENCLEANER apps included	DIVUS-KNX-IQ08-TP BLACK - on wall mounted building touch-panel with KNX interface for visualization purposes; multi-touch display and capacitive touch screen with optical bonding 20,32 cm - 8"; free DIVUS VISION, DIVUS IQ LAUNCHER, DIVUS VIDEOPHONE, DIVUS KIBRO, DIVUS IP CAM VIEWER and DIVUS SCREENCLEANER apps included



KNX IQ

with integrated DIVUS VISION software

The user interface DIVUS VISION convinces with its simplicity in the implementation by the system integrator and control by the house owner. Lights, shading, temperature, music, alarms can be managed and controlled through the panel. In addition, smart devices can be integrated into the visualization.

KNX IQ CONVINCES WITH THE FOLLOWING FEATURES:

SENSORS

- Proximity detection
- Light intensity measurement (LUX)
- I/O intercom ring button input
- I/O intercom signalisation output

POSSIBILITIES

- Up to 12 rooms
- Up to 25 elements per room
- Up to 125 time schedulings
- Up to 10 commands per time scheduling
- Up to 55 logical expressions

FUNCTIONALITIES

- Weekly/Yearly time scheduling
- Datalog *
- Two-Level configuration access (admin/user)
- Basic logical operations
- Astronomical clock *
- Scenarios
- Notifications (alarm, warning, information)
- Notification list
- Presence simulation *
- Favourites page
- Automatic main command for lights / shutters
- / music per room
- Automatic temperature average per room
- Room controller heating / cooling *
- PIN protection
- CLOUD connection
- Backup / restore

*Available in Q4 2019.



DIVUS[®]
Show it. Control it.

DIVUS GmbH . Pillhof 51 . I-39057 Eppan (BZ) - Italy
DIVUS Deutschland . Leinfelder Str. 64 . D-70771 Leinfelden-Echterdingen
Tel. D. +49 (0)711 5087 5923 . Tel. I. +39 0471 633662
info@divus.eu . www.divus.eu